REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0185

mentaning the data mental, and complaine are interned in Communication of Communication of Communication in the Communication of Communication in the Communication of Communica									
1. AGENCY USEONLY (Leaveblank)	2. REPORT DATE Feb. 7, 2000		PEAND DATES COVERED 12/31/99						
4. TITLEAND SUBTITLE "Adaptive Optics Imag	ing of Solar System	Objects"	5. FUNDING NUMBERS NAG5-3731						
6. AUTHORS Francois Roddier									
7. PERFORMING ORGANIZATION NAM University of Hawaii	8. PERFORMING ORGANIZATION REPORT NUMBER 6-54592								
9. SPONSORING MONITORING AGENO National Aeronautics	10. SPONSORING MONITORING AGENO REPORT NUMBER NAG503731								
11. SUPPLEMENTARY NOTES									
DISTRIBUTION STATE Approved for Public R Distribution Unlim	leleas e		12b. DISTRIBUTION CODE						

13. ABSTRACT (Waximum 200 words) Adaptive optics observation of Saturn's ring plane crossing, Neptunes atmospheric activity, volcanoes on Io, and Titan. Photometry of Pluto and Charon. Surface mapping of Ceres, Pallas and Vesta. Detection of Neptue's arcs and dark satellites.

14. SUBJECT TERM	1S						15. NUMBER OF PAGES
Saturn, Ne		Io,Titan,	Pluto, Ch	naron, (Ceres,	Pallas	, 4 pages
Vesta							16. PRICECODE
							IO. PRICECOBE
17. SECURITY CLASS	SIFICATION OF	18. SECURITY C	LASSIFICATION OF			CATION OF	20. LIMITATION OF ABSTRACT
REPORT		THIS PAGE		ABSTRA	.		
				1			

University of Hawaii

Final Technical Report

Submitted to the

National Aeronautics and Space Administration

Grant No. NAG5-3731

"Adaptive Optics Imaging of Solar System Objects"

January 1, 1997 to December 31, 1999

Submitted by

Francois Roddier Principal Investigator Institute for Astronomy University of Hawaii

FINAL REPORT

GRANT TITLE: Adaptive Optics Imaging of Solar System Objects

PRINCIPAL INVESTIGATOR: François Roddier (Co-Investigator: Toby Owen)

INSTITUTION: Institute for Astronomy (IfA), University of Hawaii (UH).

Goals:

Most solar system objects have never been observed at wavelengths longer than the R band with an angular resolution better than 1". The Hubble Space Telescope itself has only recently been equipped to observe in the infrared. However, because of its small diameter, the angular resolution is lower than that one can now achieved from the ground with adaptive optics, and time allocated to planetary science is limited. We have successfully used adaptive optics on a 4-m class telescope to obtain 0.1" resolution images of solar system objects in the far red and near infrared $(0.7-2.5 \,\mu\text{m})$, at wavelengths which best discriminate their spectral signatures. Our efforts have been put into areas of research for which high angular resolution is essential.

Accomplishments:

- 1) Adaptive optics observations of Saturn's ring plane crossing in August 95. For the first time, satellites discovered by the Voyager space probe such as Prometheus and Pandora were observed from the ground and their infrared magnitudes determined, giving clues to their surface composition. Whereas HST observers were able to identify three clumps in the Fring, our observations revealed nine additional clumps, helping to better understand the phenomenon (Roddier et al., Icarus 143, in press). Two nights after the crossing, evidence was found for a decaying arc of particles scattered along an orbit close to that of Enceladus. A possible explanation is that a large block of ice previously ejected by Enceladus collided with ice fragments trapped on the satellite orbit. The collision produced an expanding cloud of small ice particles which quickly vaporized, an event never observed before (Roddier et al., Icarus 136, p. 50, 1998). In addition, an eclipse of Epimetheus was photometrically analyzed, giving new constraints on the inclination of Epimetheus' orbit (Roddier et al., ESO/OSA Sonthofen meeting)
- 2) Adaptive optics monitoring of Neptune's atmospheric activity. Differences in Neptune's atmospheric opacity have allowed us to isolate high-altitude cloud layers from lower ones. Maximum atmospheric activity is apparently moving from the North hemisphere back to the South hemisphere as it was when observed by Voyager 2 (Roddier et al. Icarus 136, 168).
- 3) First ground-based detection of Neptune's arcs and dark satellites. Deep images taken in July 1998 with our new adaptive optics system (Hokupa'a) revealed four of the dark satellites discovered by Voyager 2. In addition to Proteus previously detected before, Larissa, Galatea, and Despina were detected for the first time from a ground-based telescope, and their infrared magnitudes were estimated. Moreover, evidence was found for arcs at the distance of the Adams ring. Similar arcs were discovered by Voyager 2, but an ambiguity remained on their motion leaving two possible orbital solutions. From theoretical considerations one solution was considered to be more likely than the other. Curiously, the ground-based observation (confirmed by HST observations) was found to be consistent with the less likely solution, calling current theory into question (Sicardy et al., Nature 400, 731). Ground-based observations also showed evidence for arcs in the Leverrier ring (IAU circular 7108), a possible transient phenomenon since no such arcs were seen by Voyager 2.
- 4) Adaptive optics observations of active volcanoes on Io. Observations were performed at $2.2 \mu m$ while Io was in the shadow of Jupiter. The images show the thermal emission from the active volcanoes. We observed mostly the Jupiter facing hemisphere of Io. This type observation nicely complements those made by the NIMS spectro-camera on board of

- Galileo which better sees the opposite hemisphere of Io, but can hardly observe as well the Jupiter-facing side. More than half a dozen heat spots have been detected. Most have been identified with known surface features (Roddier *et al.*, ESO/OSA Sonthofen meeting).
- 5) Adaptive optics observations of Titan. We have systematically observed Titan every year since December 1994. Images of the leading hemisphere taken outside of the methane absorption bands clearly show a continental size feature rotating with Titan's surface. This series of images also contains a lot of information about the haze distribution in Titan's atmosphere, and will be analyzed for long term changes.
- 6) Independent infrared photometry of Pluto and Charon. Results showed differences in surface composition and surface heterogeneities. Evidence was found for an excess of ice on Charon (Tholen et al., Icarus, submitted).
- 7) Surface mapping of Ceres, Pallas and Vesta. Ceres an Pallas were observed through narrow band filters centered in and out of the absorption bands of water ice to search for local concentration of ice on their surface. Vesta was observed through narrow band filters that match the absorption band of pyroxene, feldspar and olivine to map the composition of its highly cratered surface.
- 8) Search for binary asteroids. Most recently, we made a systematic search for binary asteroids with the CFHT user adaptive optics system (Pue'o). This search led to the discovery of a companion to (45) Eugenia (Merline et al. Nature 401, 565). This is only the second asteroid known to have a companion, and the first one discovered from the ground.

Publications

- Dumas, C., Owen, T., Barucci, A. "Near-Infrared Spectroscopy of Low Albedo Surfaces in the Solar System: Search for the Spectral Signature of Dark Material", Icarus 133, pp. 221-232, 1998.
- Merline, W. J., Close, L. M., Dumas, C., Chapman, C. R., Roddier, F., Menard, F., Colwell, W., Slater, D. C., Duvert, G., Shelton, C., Morgan, T., Dunham, D. W. "S/1998 (45) 1" IAU Circular No. 7129, 1999.
- Merline, W. J., Close, L. M., Dumas, C., Chapman, C. R., Roddier, F.; Menard, F., Colwell, W., Slater, D. C., Duvert, G., Shelton, C., Morgan, T. "Discovery of Asteroidal Satellite S/1998 (45) 1", Bull. Am. Astr. Soc. 31, p. 1106, 1999
- Merline, W. J., Close, L. M., Dumas, C., Chapman, C. R., Roddier, F., Menard, F., Slater, D. C.; Duvert, G., Shelton, C.; Morgan, T. "Discovery of a moon orbiting the asteroid 45 Eugenia", Nature 401, pp. 565-567, 1999.
- Roddier, C., Roddier, F., Brahic, A., Graves, J. E., Northcott, M. J., Owen, T. "Satellites of Saturn," IAU Circular No 6515, 1996.
- Roddier, F., Brahic, A., Ferrari, C., Graves, J. E., Northcott, M. J., Owen, T., Perret, L., Roddier, C., and Thebault, P. "Satellites of Saturn." IAU Circular No. 6407, 1996.
- Roddier, F., Roddier, C., Brahic, A., Dumas, C., Graves, J. E., Northcott, M. J., Owen, T. "First Ground-Based Adaptive Optics Observations of Neptune and Proteus," Planetary & Space Science 45, pp. 1031-1036, 1996.
- Roddier, C., Roddier, F., Graves, J. E., Northcott, M. J. "Saturn," IAU Circular No 6697, 1997
- Roddier, F., Brahic, A., Dumas, C., Graves, J. E., Han, B., Northcott, M. J., Owen, T., Roddier, C. "Adaptive optics observations of solar system objects," Bull. Am. Astr. Soc. 29, p. 1023, 1997.
- Roddier, C., Roddier, F. "Photometric analysis and modeling of the August 1995 Saturn ring HST data," paper presented at the Wellesley workshop (July 25-26, 1997). Abstract edited by M. Showalter, P. Nicholson, D. French.
- Roddier, F., Roddier, C., Dumas, C., Graves, J. E., Northcott, M. J., Owen, T., Brahic, A. "Adaptive optics observations of Saturn's ring plane crossing in August 1995," paper presented at the

- Wellesley workshop (July 25-26, 1997). Abstract edited by M. Showalter, P. Nicholson, D. French.
- Roddier, C., Roddier, F., Graves, J. E., Northcott, M. J. "Discovery of an arc of particles near Enceladus' orbit: a possible key to the origin of the E ring," Icarus 136, pp. 50-59, 1998.
- Roddier, C., Roddier, F., Graves, J.E., Guyon, O. and Northcott, M.J. "Satellites of Neptune", *IAU Circular No.* **6987**, 1998.
- Roddier, F. Roddier, C., Graves, J.E., Northcott, M.J. and Owen, T. "Neptune's cloud structure and activity: ground-based monitoring with adaptive optics", Icarus 136, pp. 50-59, 1998
- Roddier, F., Roddier, C., Brahic, A., et al. "Adaptive optics observations of Saturn's ring plane crossing in August 1995", Icarus 143 (in press).
- Sicardy, B., Roddier, F., Roddier, C., Perozzi, E., Graves, J. E., Guyon, O., Northcott, M. J. "Images of Neptune's ring arcs obtained by a ground-based telescope, Nature **400**, pp. 731-733, 1999.
- Spencer, J. R., Stansberry, J. A., Dumas, C., Vakil, D. "Ground-Based Observations of Io's Volcanos in Support of the Galileo Mission", DPS Meeting, Bull. Am. Astr. Soc. 28, p. 1153, 1996.
- Spencer, J. R., Stansberry, J. A, Dumas, C., Pregler, R., Vakil, D., Hicks, M., Heige, K. "A History of High-Temperature Io Volcanism at the Start of the Galileo Tour", Geophys. Res. Letters. 24, pp. 2451-2454, 1997.
- Stansberry, J. A., Spencer, J. R., Howell, R. R., Dumas, C., Vakil, D. "Violent Silicate Volcanism on Io in 1996", Geophys. Res. Letters. 24, pp. 2455-2458, 1997.
- Tholen, D. J., Close, L. M., Owen, T. C., Connelley, M., Roddier, C., Roddier, F., Graves, J. E., Northcott, M. J. "Adaptive Optics Observations of the Pluto-Charon System", Icarus, submitted.